Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	57	numa and ring and (processor or core or cpu or host) and cache and (merg$3 or coalesc$3 or concatenat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 15:25
L3	42	numa and ring same (processor or core or cpu or host) and cache and (merg$3 or coalesc$3 or concatenat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 15:25
L4	9	numa and ring same (processor or core or cpu or host) and cache same (merg$3 or coalesc$3 or concatenat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 15:30
L6	1114	711/141.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 15:31
L7	18	L6 and (numa and ring)	US-PGPUB; USPAT	ADJ	ON	2006/01/11 15:34
L8	35	L6 and (ring) and (merg$3 or coalesc$3 or concatenat$3)	US-PGPUB; USPAT	ADJ	ON	2006/01/11 15:34
L9	15	L6 and (ring) and ((merg$3 or coalesc$3 or concatenat$3) with (buffer or cache or store))	US-PGPUB; USPAT	ADJ	ON	2006/01/11 15:35
S1	1	"4445174".pn.	USPAT	ADJ	ON	2006/01/10 14:53
S2	1	"6195728".pn.	USPAT	ADJ	ON	2006/01/11 12:02
S3	1	"20030005228"	US-PGPUB	ADJ	ON	2006/01/10 14:57
S4	1114	711/141.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 09:40
S5	33	S4 and CMP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 09:21

S6	94	S4 and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 09:21
S7	5	S4 and ring and ((merg$3 or coalesc$3 or append$3 or concatenat$3) near5 (buffer or cache or store))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 09:24
S8	2388	711/118.ccls. or 711/142.ccls. or 711/121.ccls. or 711/130.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 09:24
S9	14	S8 and ring and ((merg$3 or coalesc$3 or append$3 or concatenat$3) near5 (buffer or cache or store))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 09:29
S10	405	(cache near2 coherenc$1) and ((merg$3 or coalesc$3 or append$3 or concatenat$3) near5 (buffer or cache or store))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 09:31
S11	65	(cache near2 coherenc$1) and ((merg$3 or coalesc$3 or append$3 or concatenat$3) near5 (buffer or cache or store)) and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 09:31
S12	21	(cache near2 coherenc$1) and ((merg$3 or coalesc$3 or append$3 or concatenat$3) near5 (buffer or cache or store)) and (ring with (processor or cpu or core))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 09:32
S13	80	ring with synchronous with (bidirectional or bi-directional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 10:12

S14	1	ring with synchronous with (bidirectional or bi-directional) with unbuffered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 10:19
S16	5	"6721268"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 09:43
S17	3	"6721268".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 09:44
S18	4	(ring with synchronous with (bidirectional or bi-directional)) and (fixed near3 (delay or latency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 09:54
S19	51	(ring with synchronous) and (fixed near3 (delay or latency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 09:56
S21	3	(ring with synchronous) same (fixed near3 (delay or latency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 10:08
S22	229	(ring with synchronous) same (delay or latency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 10:09
S23	104	(ring with synchronous) with (delay or latency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 10:21

S25	90626	(ring with synchronous) with (delay or latency) with bi-directional or bidirectional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 10:09
S26	1	(ring with synchronous) with (delay or latency) with (bi-directional or bidirectional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 10:09
S27	23	ring with synchronous with (bidirectional or bi-directional) and (delay or latency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 10:15
S28	477	(ring and synchronous).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:30
S29	31	(ring and synchronous).ti. and (bi-directional or bidirectional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 10:15
S31	536	BLSR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 10:37
S32	46956	(fixed or constant) near8 (delay or latency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 10:38
S33	8	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 11:48

S34	17	processor with ring with synchronous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 10:45
S35	1	"20040076168"	US-PGPUB	ADJ	ON	2006/01/11 11:42
S36	1	(coalesce near10 block) and cache near8 (coherenc$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 11:49
S37	0	(coalesce near10 block) a	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 11:49
S38	267	(coalesce near10 block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 11:49
S39	3	(coalesce near10 block) and coherenc$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 11:49
S40	9	(coalesce near10 (block or section or page or chunk)) and coherenc$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:24
S41	7	(coalesce near10 (("same" or "one" or "1") adj2 (block or section or page or chunk)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:18
S42	5373	(combin$3 near10 (("same" or "one" or "1") adj2 (block or section or page or chunk)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 11:55

S43	2296	combin$3 near10 ("same" or "one" or "1") adj2 (block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 11:56
S44	38	combin$3 near10 ("same" or "one" or "1") adj2 (block) and coherenc$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 11:56
S45	1	"6195728".pn.	USPAT	ADJ	ON	2006/01/11 12:00
S46	0	S45 and (write with private with share$1)	USPAT	ADJ	ON	2006/01/11 12:09
S48	1	S45 and ((write or written) with shared)	USPAT	ADJ	ON	2006/01/11 12:02
S49	1	"4445174".pn.	USPAT	ADJ	ON	2006/01/11 12:09
S50	0	S49 and (write with private with share$1)	USPAT	ADJ	ON	2006/01/11 12:09
S51	1	S49 and (private with share$1)	USPAT	ADJ	ON	2006/01/11 12:09
S52	114811	((coalesce or combin$3) near10 (block or section or page or chunk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:20
S53	1646	((coalesce or combin$3) near10 (block or section or page or chunk)) and coherenc$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:19
S54	114	coalesce adj3 (block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:20
S56	3	(coalesce adj3 (block)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:20
S57	2	buffer near3 coalesce near6 (block or section or page or chunk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:24

S58	1	cache near3 coalesce near6 (block or section or page or chunk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:25
S59	22	(ring and synchronous).ti. and (latency or delay).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:30
S60	14	(ring and synchronous).ti. and (latency or delay).ab. not (ring oscillator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:34
S61	9	(MATTINA with MATTHEW).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:34
S62	31	(CHRYSOS with GEORGE).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:34
S63	38	S61 or S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:34
S64	5	S63 and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:35
S65	351	numa and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:35

S71	165	numa and ring and (delay or latency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 12:37
S72	17	numa and ring and ((fixed or unchang$3 or static or predetermined) near8 (delay or latency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/11 15:23

IEEE *Xplore* ®
RELEASE 2.1

☐ Advanced Search   BROWSE   SEARCH   IEEE XPLORE GUIDE

OPTION 1
Enter keywords or phrases, select fields, and select operators   **?** Help

[   ] in All Fields   ▲▼

AND [   ] in All Fields   ▲▼

AND [   ] in All Fields   ▲▼

[■■■■] [■■■]

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

OPTION 2
Enter keywords, phrases, or a Boolean expression   **?** Help

numa and ring* and (processor* or cpu or core*)

#1   4 hits

[■■■■] [■■■]

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about Field Codes, Search Examples, and Search Operators

» **Publications**

   ◉ Select publications

     ☑ IEEE Periodicals

     ☑ IEE Periodicals

     ☑ IEEE Conference I

     ☑ IEE Conference Pr

     ☑ IEEE Standards

   ○ Search subscribed con

» **Other Resources** (Availab

     ☑ IEEE Books

» **Select date range**

   ○ Search latest content u

   ◉ From year All

          to Present

» **Display Format**

   ◉ Citation   ○ Citatio

» **Organize results**

   Maximum : 100

     Display 25   resu

     Sort by Relevance

     In Descending

Help   Contact Us

© Copyright 2C

IEEE Xplore ᴾ
RELEASE 2.1

Welcome United States Patent and Trademark Office

□ Search Session History

BROWSE   SEARCH   IEEE XPLORE GUIDE

Edit an existing query or
compose a new query in the
Search Query Display.

Wed, 11 Jan 2006, 3:19:26 PM EST

Search Query Display

**Select a search number (#)
to:**

- Add a query to the Search
  Query Display
- Combine search queries
  using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1   ((numa and ring* and (processor* or cpu or core*))
   <in>metadata)

Help   Contact Us   Privacy & :

Indexed by
⊞ Inspec

© Copyright 2005 IEEE –

ACM Search

+ring* +proceesor* ... 9 hits

1/11/06